

ADDENDUM NO. 2
to the
PROJECT DOCUMENTS AND SPECIFICATIONS
for
EGLIN AIR FORCE BASE ARFF DEVELOPMENT

Prepared for:
OKALOOSA COUNTY

Prepared By:



320 Bayshore Drive, Suite A
Niceville, Florida 32578-2425

AVCON Project No. 2012.050.09

Addendum Date: January 25, 2016

Note: The bidder shall acknowledge receipt of this addendum on the Bid Form, Page BF-1 in the space provided.

ADDENDUM NO. 2
Eglin Air Force Base ARFF Development
Eglin Air Force Base, Florida

- Date of Issue:** January 25, 2016
- Bid Submittal Deadline:** January 27, 2016 @ 2:00 p.m. (Central Standard Time)
302 North Wilson Street, Crestview, Florida 32536
- Notice to all Plan Holders:** Please insert this addendum (2 pages including cover, excluding attachments) into your copy of the Project Contract Documents.

The following changes to the Project Documents and Specifications are issued by the Engineer and shall have the same force and effect as though part of the original issue:

A. Changes to the Drawings:

1. Sheet A4.02 **REVISE** roof insulation note on left side of sheet A4.02 as follows:

“Insulation batts provided by PEMB manufacturer. ***Roof insulation shall be R-19.***” *This note revision shall be applied to all other architectural sheets.*

END OF ADDENDUM NO. 2